



VICTUS APPAREL PVT LTD



VICTUS DYEINGS

YOUR PERFECT PARTNER
TO PROGRESS, LET US JOIN HANDS
TO SOAR NEW HEIGHTS



RD VI GOLD
STORMAC
SHARPER PRINT

VICTUS

ENRICHING WITH QUALITY & EXPERTISE

About VICTUS

A leading knitting excellence firm respected as a market leader due to "quality-rich and timely " service capabilities.

Established in the year 1968, Victus Dyeings has ensured more than one billion meters of garment supply in a span of almost a decade. Service and delivery excellence of Victus resulted in significant number of referral customers and this trend continues forever.

Victus Dyeings is a future-focused fully integrated knit Garment manufacturer with tubular and Open width range, ensuring quality assurance services to international customers.

Victus focuses on Knitting, Dyeing, Finishing, Lay Cutting, Printing (Rotary, Chest Print) & Garmenting

The garments that our customers receive are outcomes of technically qualified, experienced and skilled team of professionals' expertise at Victus.

Visionary Leadership

Victus is headed by A. Loganathan, Chairman, the founding president of the forward-looking organization. Victus has attained this enviable position from a humble beginning due to the visionary leadership of the founder

Thanks to the leadership guidance and customer focused practices – Victus offers outstanding services to customers with diligence, quality and resourcefulness.

WHY VICTUS ?

BENEFITS, YOU STAND TO GAIN WITH

Strategic Location Advantage

A bustling town in the Southern part of India, Tirupur is predominantly a textile knit city. Tirupur is the manufacturing capital of internationally renowned formal, casual, essentials as well as sports wear brands.

Diverse cutting-edge technology

We deploy state-of-art equipment and tools, which are being handled by experienced professionals.

Cost Efficiency

Engaging with Victus facilitates you to cut your budget painlessly as we deploy cost-efficiency measures in every process.

Long-Term Oriented

Count on us for long-term association, as we understand and value our customer relationship.

Environment-friendly Measures

As an endorsement to our eco-friendly efforts, We leave no stone unturned to ensure that there is least impact on the environment and all our processes are environment friendly. VICTUS is committed to adhere to and follow ethical employment practices supported by healthy and safe working environment and ensure superior quality products on time to customers. We strictly adhere to applicable state, National and International laws on environment-friendly measures and employment guidelines.

Production Capacity/Day




KNITTING
16 TONES




DYEING
45 TONES



PRINTING
18 TONES





Knitting Expertise

We deploy cutting-edge tools and equipment to deliver world-class knitting expertise. Environment-friendly procedures are the hallmark of Victus. We get repeat customers – thanks to our unique knitting process.

A large industrial knitting machine in a factory setting. The machine is a circular, multi-tiered structure with many spools of white yarn. It is surrounded by a glass safety enclosure. In the foreground, there are two large, black, rectangular units with grilles, likely part of the machine's ventilation or control system. The background shows other industrial equipment and the factory's interior.

Professionalism &
Perfectionism
Blending
Excellence for you

Make	Model	Type of M/c	M/c Dia	GG	No. of Needles	Feeder	No of M/C
Orizio	John /C	Tubular S/J	24	24	1800	72	1
Orizio	John /C	Tubular S/J	26	24	1920	78	1
Orizio	John /C	Tubular S/J	28	24	2112	84	1
Mayer & Cie	MV4-3.2	Tubular S/J	30	28	2640	96	1
Mayer & Cie	Relanit-3.2 II	Tubular S/J	30	28/24	2640	96	3
Mayer & Cie	Relanit-3.2 II	Tubular S/J	34	28/30/32	2976/3912 /3408	108	2
Mayer & Cie	Relanit-4.0	Tubular S/J	30	24	2256	120	1
Mayer & Cie	Relanit-3.2 II	O/W S/J	34	28/30/32	2976/3192 /3408	108	1
Mayer & Cie	S4.3.2	O/W S/J	30	24	2256	96	1
Mayer & Cie	S4.3.2	O/W S/J	32	24	2400	102	1
Terrot	S 296	O/W S/J	30	24	2256	96	1
Terrot	S 296	O/W S/J	32	24	2400	102	1
Terrot	S 296	O/W S/J	34	24	2568	109	1
Mayer & Cie	INOVIT2 II	Rib 2 Track	30	18	1680 X 2	62	2

NOTE: All above M/C'S are having All feeder Lycra attachment

Terrot	S4F348	S/J 4Col A/S	26	16/20/24	1296/1632 /1944	42	1
Mayer & Cie	Relanit- 1.6R	S/J 4/6 Col A/S	30	16/20/24	1592/1872 /2268	48	4
Mayer & Cie	Relanit- 1.6R	S/J 4/6 Col A/S	34	24	2544	54	2
Mayer & Cie	Relanit- 1.6ER	S/J Jaquard 4col A/S	30	24	2208	48	2
Mayer & Cie	Relanit- 1.6ER	S/J Jaquard 4col A/S	30	24	2484	54	2
Mayer & Cie	Inter Rib4-1.6R	Rib 4 Col A/S	30	18	1680 x 2	48	4
Mayer & Cie	Inter Rib4-1.6R	Rib&I/L 4 Col A/S	34	18/24	1920 X 2/ 2544 X 2	54	4
Mayer & Cie	Inter Rib4-1.6R	I/L 4 Col A/S	30	24	2268 x 2	48	2
Mayer & Cie	OV 3.2	Interlock	34	28	2976 x 2	108	1
Terrot	I1108	Interlock	34	28	2976 x 2	122	2
Terrot	SS3P 172-1	Single jersymini jacquard	30	24	2256	72	3
Sunda	SDG 3.2	Interlock	30	28/32	2640/3024	84	1
Mayer & Cie	MBF-3.2	3th Fleece	30	20	1872	96	2
Mayer & Cie	OVJA - 1.6 ET	Rib Pointel Jaq	30	15	1392X2	48/32	1
Mayer & Cie	OVJA - 1.6 E	I/L Jaquard	30	20	1920 x 2	48	3
Mayer & Cie	OVJA - 1.6 E	I/L Jaquard	34	20	2106x2	54	2
Biaoda	BD-ETRJ3W	Rib Pointel Jaq	30	18	1704 X 2	54/36	2
Biaoda	BD-ETRJ3W	Rib Pointel Jaq	34	18	1920 X 2	54/36	2
Biaoda	BD-ETRJ3W	Rib Pointel Jaq	34	18	2136 X 2	54/36	2
Biaoda	BD-ETRJ3W	Rib Pointel Jaq	34	28	2880 X 2	72	1



Dyeing Expertise

Victus focuses on environment-friendly dyeing process. Every step in the dyeing process is scientifically-defined and process-oriented, while careful measures are ensured to bring in eco-friendly dyeing to our customers.



Environment Care


Reverse Osmosis Plant and Multiple effect Evaporator with salt Recovery system supports in the recycling of effluent water.

We have implemented Zero Liquid Discharge system (ZLD) to ensure that there is no liquid discharge to the environment and we have 1.9 Million litres of Reusable water capacity (approved by government).




HTHP Soft Flow Dyeing TEXTILMASCHINEN *Thies*, Germany

Make	Vessel Size - Capacity – 45 Tones / Day
<i>Thies</i> - Germany	25,50,100,200,250,400,500,750,1000,1250, 500,1750,2000 (2 Machines)

















Finishing-Tubular

M/c Description	No. of Machines	Make	Capacity
Wet Stretch & Ballon Padding (Double Padder)	1	 - Italy	10 Tones/Day
Tubular Shoe Type Compactor	1	 - U.S.A	5 Tones/Day
Pin Entry Dry With Padding Mangle	1	 - Swiss	15 Tones/Day


Finishing-Open width

M/c Description	No. of Machines	Make	Capacity
Slit Opener cum Open width Padder with Bio - Wash Cleaner	2	 - Italy	15 Tones/Day
Slit Opener	1	 - Italy	7 Tones/Day
Slit Open Cum Open width Padder with Bio-Wash Cleaner	1	 - Italy	12 Tones/Day
Stenter - Heat setting Cum open width drying, weft straightener with Edge cutter [8 Chambers]	1	 - Turkey	12 Tones/Day
Stenter - Heat setting Cum open Width Drying, Weft Straightener with Edge Cutter [9 Chambers]	1	 - Korea	15 Tones/Day
Stenter - Heat setting Cum open Width Drying, Weft Straightener with Edge Cutter [8 Chambers]	1	 - Korea	12 Tones/Day
Stenter - Heat setting Cum open Width Drying, Weft Straightener with Edge Cutter [8 Chambers]	1	 - Germany	12 Tones/Day
Reactive Print Wash, Discharge Print Wash, Melange Washes	1	 - Turkey	10,000 ksg/ Day
Belt & Shoe Type OW Compacting Machine	1	 - Italy	15000 kgs /Day
Open Width Felt Compactor with Weft Straightner	2	 - Italy	30 Tones/Day
Mario Crosta Double drum Brushing Machine	1	 - Italy	6 Tones/Day
Fabric Osthoff - Senge GmbH W	1	 - Germany	15 Tones/Day



Printing Expertise

Rotary Printing

Model	No. of. Machines	No. of. Col	Repeat	Capacity
	1	8	64Cm, 82Cm, 91cm & 101cm	10000 kgs/day
STORMAC RD IV	2	10	64 Cm,82Cm & 91 CM	7000 kgs/day
STORMAC RD VI Gold	1	12	64 Cm,82Cm & 91 CM	8000 kgs/day

- Maximum width : 70 inches

Chest Printing

Model	No. of. Machines	No. of. Col	Possible size	Capacity
M.H.M-AUSTRIA	1	10	65 X 90 CM	6000 Pcs/day
M.H.M-AUSTRIA S TYPE	1	10	50 X 70 CM	6000 Pcs/day
ROQ - PORTUGAL	3	14	70 X 105 CM	25000 Pcs/day



Value Add Facilities

- Pneumatic Transfer Machine
- Greige to Finish

Print varieties

We undertake the following types of printing viz. Reactive, Discharge, Waterbase, burnt - out, Khadi, Glitter, Brosso, Plastisol, Flock, High-Density, Foam, Transfer and more.

EFFULUENT TREATMENT PLANT



Victus Dyeings - Leading the way in Sustainable Fashion

Adopted high labor standard which is verified and certified by following accreditation body.

Promotes the use of certified Sustainable raw material and packing material

Use 80% of electricity from renewable sources.

98.6% effluent gets recycled through ZLD system.

Becoming less energy intensive by recovering waste heat

Shrunk 48% of GHG emission from actual

Fabric wastes are up cycled to yarn. All other wastes either recycled or reused.

Recovered 90% of salts used in our process by Salt Recover System



100% of chemicals are ZDHC approved and Complies with MRSL and RSL.

Adopted Digital Chemical inventory and tractability system

Embraced Screened chemistry initiatives



Certifications



Garmenting

Victus Dyeing's manufacturing facility houses versatile production lines utilizing advanced technologies to deliver high-quality garments consistently. We optimize our systems and processes, implement Lean manufacturing principles and best practices and foster a culture of continual improvement to enhance customer experience, achieve operational excellence and gain competitive advantage.

We create a safe and compliant working environment for our employees by adhering to industry regulations and safety standards.

We have 3000 high proficiency sewing machineries with monthly production capacity of 4 million knitted garments.



Automatic Fabric Spreader & Cutter

CAD (Auto Marker)	Obtitec, Israel
Automatic Spreader	FK, Italy
Automatic Spreader	IMA, Italy
Automatic Cutter	FK, Italy
Capacity : 12 tons per day effective cutting width 205 Cm	

Product Development

The product development department always do the R&D to develop new fabrics and new print/ emb/ wash technique to suit our costumer requirements.



Quality Control

- 100% fabric inspection in 4 point method.
- Auto spreader / cutter to get accurate panel specification
- Bin card system followed for better traceability & accountability
- Needle Policy / Sharp tools Policy followed.
- Inline cut panel checking followed.
- Red Card System following to control rework
- AQL cross audit in AQL 1.5 Level-II to control end line audit failures
- 1.0 sensitivity level metal detection machines with 24 point calibration system followed.
- RFID scanner to check accurate garment counting / size / style tags in cartons.



CSR Activites

Victus Dyeings likes to create a positive impact by doing corporate social responsibility activities for the society; we touch in an inspiring way that all activities carried out are with respect for people, the community, and the environment. We believe in developing each employee, their family, our vendors, partners, and the community on the whole. Victus Dyeings undertakes a vast number of Corporate Social Responsibility activities to develop and provide a better future to the needy and feel it is our responsibility to provide service to the society.

Sewing machines donated to Transgender in the presence of sub collector Mr. Abdul Rasool



Eye camp by Arvind Eye Hospital held at our premises



Donation given to Madathukulam Hr sec school for infrastructure development



Masks and hand sanitizers given to Madathukulam Police officers during Coivd



Tree plantation at Sivan Hills, Kangeyam



Vaccination camp Tirupur and Blossom Hospital, Bangalore (1st and 2nd dose)







Our Valuable Clients

Disney

H&M

M&S
EST. 1884

KIABI

Marc O'Polo

V
VAN HEUSEN

max

TARGET

ROSS



Mr.Yogesh Pai

☎ +91 98431 16252 ✉ Yogesh.pai@victus.in

SF.No: 53/2, Chettiurai Thottam, Karaipudur Village,
Veerapandi Post, Tirupur - 641 605

www.victus.in